

### AMENDMENT TO THE CLAIMS

This listing of claims will replace all prior versions and listing of claims in the patent application.

#### Listing of Claims

1. (Currently amended). An accessories display box comprising a box body, molded from transparent plastic, said box body defining a plurality of compartments adapted to accommodate tool accessories, a cover, molded from transparent plastic, adapted to cover said box body, and at least one fastening device adapted to fixedly secure and lock said cover to said [boxy] box body, wherein each said fastening device comprises a female fastening member fixedly provided at said box body, said female fastening member comprising a through hole and a plurality of crevices radially extended around said through hole and longitudinally extended along the axial length of said through hole, and a male fastening member fixedly provided at said cover and adapted to engage said female fastening member, said male fastening member having a conical head insertable through said through hole, said conical head having a bottom edge, which stops said conical head from backward movement after insertion of said conical head through said through hole, once the male fastening member and the female fastening member are fixedly fastened together they cannot be separated from each other unless the male fastening member is broken from the cover.

2. (Original). The accessories display box as claimed in claim 1, wherein said box body comprises a recessed tool handle seat extended through said compartments and adapted to accommodate a tool handle; said cover comprises a handle hole disposed corresponding to said tool handle seat and adapted to receive a part of the tool handle being rested in said tool handle seat.

3. (Original). The accessories display box as claimed in claim 1, wherein said male fastening member further comprises a collar extended around the periphery thereof and spaced

from said conical head at a distance approximately equal to the axial length of said through hole, said collar having a diameter greater than the diameter of said through hole.

4. Please cancel claim 4 without prejudice.

5. (Original). The accessories display box as claimed in claim 1, further comprising a tool bit receptacle fastened pivotally with an inside wall of said box body and turnable in and out of said box body and adapted to receive a set of tool bits.

6. (Original). The accessories display box as claimed in claim 5, wherein said box body further comprises an oblique stop wall adapted to stop storage tool bits in said tool bit receptacle when said tool bit receptacle set inside said box body.

7. Please cancel claim 7 without prejudice. This claim is replaced with claim 17.

8. Please cancel claim 8 without prejudice. This claim is replaced with claim 18.

9. (Currently amended). An accessories display box comprising a box body, molded from transparent plastic, said box body defining a plurality of compartments adapted to accommodate tool accessories, a cover, molded from transparent plastic, adapted to cover said box body, and at least one fastening device adapted to fixedly secure and lock said cover to said [boxy] box body, wherein each said fastening device comprises a female fastening member fixedly provided at said box body, said female fastening member comprising a through hole and a plurality of crevices radially extended around said through hole and longitudinally extended along the axial length of said through hole, and a male fastening member fixedly provided at said cover and adapted to engage said female fastening member, said male fastening member having a conical head insertable through said through hole, said conical head having a bottom edge, which stops said conical head from backward movement after insertion of said conical head through said through hole; said cover having a tool handle hole adapted to hold down a tool handle in said box body, once the male fastening member and the female fastening member are fastened together they cannot be separated from each other unless the male fastening member is broken from the cover.

10. (Original). The accessories display box as claimed in claim 9, wherein said box body comprises a recessed tool handle seat formed in said compartments corresponding to said tool handle hole for accommodating a tool handle.

11. (Original). The accessories display box as claimed in claim 9, wherein said male fastening member further comprises a collar extended around the periphery thereof and spaced from said conical head at a distance approximately equal to the axial length of said through hole, said collar having a diameter greater than the diameter of said through hole.

12. Please cancel claim 12 without prejudice.

13. (Original). The accessories display box as claimed in claim 9, further comprising a tool bit receptacle fastened pivotally with an inside wall of said box body and turnable in and out of said box body and adapted to receive a set of tool bits.

14. Please cancel claim 14 without prejudice. This claim is replaced with claim 19.

15. Please cancel claim 15 without prejudice. This claim is replaced with claim 20.

16. (Currently amended). The accessories display box as claimed in claim [15,] 20, wherein said tool bit receptacle has a smoothly arched bottom side, and said polygonal coupling blocks are disposed adjacent to said smoothly arched bottom side.

17. <sup>new</sup> ~~(Claim 7 rewritten as an independent claim)~~. An accessories display box comprising a box body, molded from transparent plastic, said box body defining a plurality of compartments adapted to accommodate tool accessories, a cover, molded from transparent plastic, adapted to cover said box body further comprising a tool bit receptacle fastened pivotally with an inside wall of said box body and turnable in and out of said box body and adapted to receive tool bits, said box body comprising two polygonal coupling holes aligned at two sides, said tool bit receptacle comprising two polygonal coupling blocks disposed at two sides and respectively coupled to said polygonal coupling holes and at least one fastening device adapted to fixedly secure and lock said cover to said box body, wherein each said fastening device comprises a female fastening member fixedly provided at said box body, said female fastening

member comprising a through hole and a plurality of crevices radially extended around said through hole and longitudinally extended along the axial length of said through hole, and a male fastening member fixedly provided at said cover and adapted to engage said female fastening member, said male fastening member having a conical head insertable through said through hole, said conical head having a bottom edge, which stops said conical head from backward movement after insertion of said conical head through said through hole, once the male fastening member and the female fastening member are fixedly fastened together they cannot be separated from each other unless the male fastening member is broken from the cover.

10/5/05  
m

18. <sup>new</sup> (~~Claim 8 rewritten as an independent claim~~). An accessories display box comprising a box body, molded from transparent plastic, said box body defining a plurality of compartments adapted to accommodate tool accessories, further comprising a tool bit receptacle fastened pivotally with an inside wall of said box body and turnable in and out of said box body and adapted to receive a set of tool bits, further comprising an oblique stop wall adapted to stop storage tool bits in said tool bit receptacle when the tool bit receptacle is set inside the box body and wherein the tool bit receptacle has a smooth arched bottom side and polygonal coupling blocks are disposed adjacent to the smoothly arched bottom side, a cover, molded from transparent plastic, adapted to cover said box body, and at least one fastening device adapted to fixedly secure and lock said cover to said box body, wherein each said fastening device comprises a female fastening member fixedly provided at said box body, said female fastening member comprising a through hole and a plurality of crevices radially extended around said through hole and longitudinally extended along the axial length of said through hole, and a male fastening member fixedly provided at said cover and adapted to engage said female fastening member, said male fastening member having a conical head insertable through said through hole, said conical head having a bottom edge, which stops said conical head from backward movement after insertion of said conical head through said through hole, once the male fastening member and the female fastening member are fixedly fastened together they

cannot be separated from each other unless the male fastening member is broken from the cover.

10/3/05  
W

19. <sup>new</sup> (~~Claim 14 rewritten as an independent claim~~). An accessories display box comprising a box body, molded from transparent plastic, said box body defining a plurality of compartments adapted to accommodate tool accessories, a cover, molded from transparent plastic, adapted to cover said box body, the box body further comprising an oblique stop wall adapted to stop storage tool bits in said tool bit receptacle when the tool bit receptacle is set inside said box body, and at least one fastening device adapted to fixedly secure and lock said cover to said box body, wherein each said fastening device comprises a female fastening member fixedly provided at said box body, said female fastening member comprising a through hole and a plurality of crevices radially extended around said through hole and longitudinally extended along the axial length of said through hole, and a male fastening member fixedly provided at said cover and adapted to engage said female fastening member, said male fastening member having a conical head insertable through said through hole, said conical head having a bottom edge, which stops said conical head from backward movement after insertion of said conical head through said through hole, the male fastening member further comprising a collar extended around the periphery thereof, said cover having a tool handle hole adapted to hold down a tool handle in said box body, once the male fastening member and the female fastening member are fixedly fastened together they cannot be separated from each other unless the male fastening member is broken from the cover.

10/3/05  
W

20. <sup>new</sup> (~~Claim 15 rewritten as an independent claim~~). An accessories display box comprising a box body, molded from transparent plastic, said box body defining a plurality of compartments adapted to accommodate tool accessories comprising two polygonal coupling holes aligned at two sides; said tool bit receptacle comprising two polygonal coupling blocks disposed at two sides and respectively coupled to said polygonal coupling holes, a cover, molded from transparent plastic, adapted to cover said box body, and at least one fastening

device adapted to fixedly secure and lock said cover to said box body, wherein each said fastening device comprises a female fastening member fixedly provided at said box body, said female fastening member comprising a through hole and a plurality of crevices radially extended around said through hole and longitudinally extended along the axial length of said through hole, and a male fastening member fixedly provided at said cover and adapted to engage said female fastening member, said male fastening member having a conical head insertable through said through hole, said conical head having a bottom edge, which stops said conical head from backward movement after insertion of said conical head through said through hole; the male fastening member further comprising a collar extended around the periphery thereof, said cover having a tool handle hole adapted to hold down a tool handle in said box body, once the male fastening member and the female fastening member are fixedly fastened together they cannot be separated from each other unless the male fastening member is broken from the cover.